


**DECLARATION OF PERFORMANCE**

No: SVL-013D223

1. Identification code of the produce type:	VG-YmvKas
2. Intended use or uses of the construction product , in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:	Supply of electricity in buildings and other civil engineering works with the objective of limiting the generation and spread of fire and smoke
3. Registered trade name and Manufacturer address:	SEVAL KABLO AYD. CİH. İTH. İHR. SAN. TİC. A.Ş. Hacıyüplü mah. 3119 sok. no: 5 Merkezefendi DENİZLİ/ TURKEY E: qc@sevalkablo.com W: www.sevalkablo.com
4. Notified Body,Code,Harmonized standard:	Efectis Era Avrasya Test Ve Belgelendirme A.Ş. NB No. 2184 EN 50575:2014+A1:2016
5. System or systems of assessment and verification of constancy of performance :	System 3
6. Declared Performance :	D <sub>ca</sub> -s2-d2-a3
7.Dangerous substances :	NPD
<p>The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.</p>	

Signed for and behalf of the manufacturer by  
DEC2019 DENİZLİ/TURKEY

**Murat KAÇAMAZ**  
Plant Manager



## DECLARATION OF PERFORMANCE

### Scope of the Document

No: SVL-013D223

**CABLE TYPE:** VG-YmvKas

**VOLTAGE:** 0.6/1 kV

**CONSTRUCTION:** Cu/XLPE/PVC-FR/PVC-FR/SWA/PVC-FR

Number Of Cores	Cross-Sectional Area	Number Of Cores	Cross-Sectional Area	Number Of Cores	Cross-Sectional Area
1	1.5mm <sup>2</sup>	2	1.5mm <sup>2</sup>	3	1.5mm <sup>2</sup>
1	2.5mm <sup>2</sup>	2	2.5mm <sup>2</sup>	3	2.5mm <sup>2</sup>
1	4mm <sup>2</sup>	2	4mm <sup>2</sup>	3	4mm <sup>2</sup>
1	6mm <sup>2</sup>	2	6mm <sup>2</sup>	3	6mm <sup>2</sup>
1	10mm <sup>2</sup>	2	10mm <sup>2</sup>	3	10mm <sup>2</sup>
1	16mm <sup>2</sup>	2	16mm <sup>2</sup>	3	16mm <sup>2</sup>
1	25mm <sup>2</sup>	2	25mm <sup>2</sup>	3	25mm <sup>2</sup>
1	35mm <sup>2</sup>	2	35mm <sup>2</sup>	3	35mm <sup>2</sup>
1	50mm <sup>2</sup>	2	50mm <sup>2</sup>	3	50mm <sup>2</sup>
1	70mm <sup>2</sup>	2	70mm <sup>2</sup>	3	70mm <sup>2</sup>
1	95mm <sup>2</sup>	2	95mm <sup>2</sup>	3	95mm <sup>2</sup>
1	120mm <sup>2</sup>			3	120mm <sup>2</sup>
1	150mm <sup>2</sup>			3	150mm <sup>2</sup>
1	185mm <sup>2</sup>			3	185mm <sup>2</sup>
1	240mm <sup>2</sup>			3	240mm <sup>2</sup>
1	300mm <sup>2</sup>			3	300mm <sup>2</sup>

Signed for and behalf of the manufacturer by  
DEC 2019 DENIZLI/TURKEY

**Murat KAÇAMAZ**  
Plant Manager





## DECLARATION OF PERFORMANCE

### Scope of the Document

No: SVL-013D223

**CABLE TYPE:** VG-YmvKas

**VOLTAGE:** 0.6/1 kV

**CONSTRUCTION:** Cu/XLPE/PVC-FR/PVC-FR/SWA/PVC-FR

Number Of Cores	Cross-Sectional Area	Number Of Cores	Cross-Sectional Area
4	1.5mm <sup>2</sup>	5	1.5mm <sup>2</sup>
4	2.5mm <sup>2</sup>	5	2.5mm <sup>2</sup>
4	4mm <sup>2</sup>	5	4mm <sup>2</sup>
4	6mm <sup>2</sup>	5	6mm <sup>2</sup>
4	10mm <sup>2</sup>	5	10mm <sup>2</sup>
4	16mm <sup>2</sup>	5	16mm <sup>2</sup>
4	25mm <sup>2</sup>	5	25mm <sup>2</sup>
4	35mm <sup>2</sup>	5	35mm <sup>2</sup>
4	50mm <sup>2</sup>	5	50mm <sup>2</sup>
4	70mm <sup>2</sup>	5	70mm <sup>2</sup>
4	95mm <sup>2</sup>	5	95mm <sup>2</sup>
4	120mm <sup>2</sup>		
4	150mm <sup>2</sup>		
4	185mm <sup>2</sup>		
4	240mm <sup>2</sup>		
4	300mm <sup>2</sup>		

Signed for and behalf of the manufacturer by  
DEC 2019 DENIZLI/TURKEY

**Murat KAÇAMAZ**  
Plant Manager

